

Report No.: H04032044316D

SDS Report

Sample Description

WATER BASED ADHESIVE

SKALGE. 92/9/6

Mechailmhai

ASIA PACIFIC INDUSTRY GROUP CO., LIMITED

Annuikastern Pony Testing International Group www.ponytest.com

MININ POOPEI



Report ID: H04032044316D Page 1 of 10

Safety Data Sheet (SDS)

according to EC 1907/2006 (REACH)

Water Based Adhesive

Section 1 - Chemical Product and Company Identification

Sample Name: Water based adhesive

Sample code: PSA01

Recommended Uses: Adhesive of sealing tape

Restrictions on use: N/A

Company Identification: ASIA PACIFIC INDUSTRY GROUP CO., LIMITED

Address: NO.3399, LUZHOU AVE., BAOHE DIST., 230051, HEFEI, ANHUI, CHINA

Post Code: 230051

TEL: +86 551-64687285 FAX: +86 551-64683490

E-Mail: 840715367@qq.com

F-Emergency Telephone: +86 551 63483992

Manufacturer Name: Asia Pacific Industry Group Co., Limited

Section 2 - Hazards Identification

Physical and chemical hazards: The flash point of the product is more than 95° and the PH is 6.

Human health hazards: If contact this product directly may cause irritation to eyes, skin and hand.

Environment hazards: It is toxic to aquatic life with long lasting effects.

Specific hazards: N/A
UN Hazard Class: N/A

European Labeling in Accordance with EC 1272/2008 Directives:

Physical Hazards	Classification	Health and Environmental Hazards	Classification	
Explosives	None	Acute toxicity	ND.	
Flammable gases	NA.	Skin corrosion/irritation	ND.	



Report ID: H04032044316D Page 2 of 10

Flammable aerosols	NA.	Serious eye damage/eye irritation	ND.
Oxidizing gases	NA.	Respiratory sensitization	ND.
Gases under pressure	NA.	Skin sensitization	ND.
Flammable liquids	None	Germ cell mutagenicity	ND.
Flammable solids	NA.	NA. Carcinogenicity	
Self-reactive substances	None	Toxic to reproduction	ND.
Pyrophoric liquids	None	Target organ systemic toxicity (Single exposure)	ND.
Pyrophoric solids	NA.	Target organ systemic toxicity (Repeated exposure)	ND.
Self-heating substances	None	Aquatic toxicity (Acute)	ND.
Substances, which in contact with water, emit flammable gases	None	Aquatic toxicity (Chronic)	20
Oxidizing liquids	None	Effects on or via Lactation	ND.
Oxidizing solids	NA.	Hazardous to the atmospheric environment	ND.
Organic peroxides	None	Aspiration Hazard	ND.
Corrosive to metals	None	903	

Label elements:

Classification	the assigned pictogram	signal word	hazard statement code
Aquatic Chronic 2		No signal word	H411: Toxic to aquatic life with long lasting effects.

Precautionary statements code:

P273: Avoid release to the environment.

P391: Collect spillage.

P501: Dispose of contents/container to...in accordance with local/regional/national/international regulation (to be specified).

Important symptoms: See Section 11 for more information.

An outline of an anticipated emergency: In case of accident or if you feel unwell, seek medical advice immediately. See Section 4 for more information.



Report ID: H04032044316D Page 3 of 10

Section 3 - Composition, Information on Ingredients

General Chemical Description: This chemical product is a substance. Composition, Information on Ingredients:

Chemical Name	CAS No.	Percent (by weight)	EC No.	Hazard Statement Code
polyacrylate	192003-74-0	55%	N/A	H 411
water	7732-18-5	45%	231-791-2	N/A

Section 4 - First Aid Measures

Inhalation: If inhaled, remove to fresh air. Get medical aid if cough or other symptoms appear.

Skin: Wipe off the product and remove the contaminated clothing. Wash the affected area with soap and water. Wash clothing before reuse. Get medical aid if irritation develops or persists.

Eyes: Do not allow victim to rub eyes. In case of contact, immediately flush eyes with water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easily possible. Get medical aid if symptoms occur.

Ingestion: If swallowed, induce vomiting under the guidance of professional doctors. If the injured is fully conscious: wash mouth out with water, then give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.

Most important acute and delayed symptoms/effects: See Section 11 for more information.

Protection of first-aiders: Use proper personal protective equipment as indicated in Section 8.

Note To Physicians: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures



Page 4 of 10

- Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. -- Foam, carbon dioxide, chemical powder, dry sand, water spray or fog.
- Specific Hazards: Flash point is $>95\,^\circ$. But under high temperature or a fire, this product will generate irritating/toxic fumes/smokes containing carbon oxides and hydrocarbon .
- Specific Extinguishing Methods: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Move containers from fire area if this can be done without risk. Prevent run off from fire control dilution from entering streams or drinking water supply.
- Protective Equipment: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

Section 6 - Accidental Release Measures

- Person-related Safety Precautions: Evacuate and ventilate spill area. Avoid walk through spilled material. Review Section 5 and Section 7 sections before proceeding with clean-up. Use proper personal protective equipment as indicated in Section 8.
- Measures for Environmental Protection: Avoid dispersal of spilled material and runoff and contact with soil, water ways, drains and sewers.
- Measures for Cleaning/Collecting: Remove all sources of ignition. Stop leak if safe to do so. Move containers from spill area. Collect spillage. For large spills, provide diking or other appropriate containment to keep material from spreading. Reclaim liquid directly or in an absorbent. For small spills, soak up in absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in sealable appropriate container for disposal according to local regulations. Contaminated floor may be flushed with water to chemical sewer.



Report ID: H04032044316D Page 5 of 10

Section 7 - Handling and Storage

General Information: This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Storage: Keep container tightly closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible substances (see section 10), any sources of ignition or heat (e.g. open flames, hot surfaces), foodstuffs, beverages and foods. Inspect regularly for deficiencies such as damage or leaks. Treat carefully, avoid physical damage to containers. The storage area should be equipped with the corresponding species and quantity of fire equipment and leakage emergency equipment.

Handling: Ensure good local exhaust ventilation. Handle and open container with care. Keep container tightly closed and away from incompatible substances (see section 10), any sources of ignition or heat (e.g. open flames, hot surfaces), foodstuffs, beverages and foods. Avoid contact with eyes, skin and clothing. Avoid ingestion. Remove contaminated clothing and shoes. Wash clothing and shoes thoroughly before reuse. Empty containers retain product residue. The work area should be equipped with the corresponding species and quantity of fire equipment and leakage emergency equipment.

Section 8 - Exposure Controls, Personal Protection

Exposure Limit: No data available.

Monitoring Methods: No information found.

Engineering Controls: Use adequate ventilation to keep airborne

concentrations low. Equipped with safety shower and eyes bath.





Page 6 of 10

Personal Protective Equipment:

Respirators: An appropriate respirator or mask should be used whenever workplace conditions warrant a respirator's use. A full face positive pressure supplied-air respirator or a self contained breathing apparatus should be used when fire.

Hand Protection: It is recommended to wear appropriate protective gloves.

Eyes: Use appropriate safety glasses when there is the risk of contact. Skin and Body Protection: When the working environment requires, wear appropriate protective clothing to reduce skin contact.

Other Protection: To maintain good health habits. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash hands thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Environmental exposure controls: Do not allow this product to be released to the environment without proper treatment.

Section 9 - Physical and Chemical Properties

Appearance: White liquid. Odor: Characteristic odor.

Odor threshold: N/A

pH: 6

Melting point: N/A

Initial boiling point and boiling range: N/A

Flash Point: $>95^{\circ}$ C Evaporation rate: N/A

Explosion Limits (vol% in air): N/A Vapour pressure, kPa at 20°: N/A Relative vapor density (air=1): N/A Relative density (water = 1): N/A

Relative density of the vapour/air-mixture at 20° (air=1): N/A

Solubility in water: N/A

Octanol/water partition coefficient as log Pow: N/A

Auto-ignition temperature: N/A



Page 7 of 10

Decomposition temperature: N/A

Viscosity: N/A

Flammability (solid, gas): N/A

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of hazardous reactions: The product is not flammable. Under high temperature or a fire, this product will generate irritating/toxic fumes/smokes containing carbon oxides and hydrocarbon.

Conditions to Avoid: Incompatible materials, any sources of ignition or heat (e.g. open flames, smoking, hot surfaces, excess heat).

Incompatibilities with Other Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Under high temperature or a fire, this product will generate irritating/toxic fumes/smokes containing carbon oxides and hydrocarbon.

Hazardous Polymerization: Has not been reported.

Section 11 - Toxicological Information

Toxicological Information: No data available Skin irritation/corrosion: No data available. Eye irritation/corrosion: No data available.

Respiratory or Skin sensitisation: No data available. Reproductive Cell Mutagenicity: No data available.

Carcinogenicity:

Composition: CAS# 192003-74-0

Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Composition: CAS# 7732-18-5

Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Reproductive Toxicity: No data available.

Specific target organ toxicity-Single exposure: No data available. Specific target organ toxicity-Repeated exposure: No data available.

Aspiration hazard: No data available.







Page 8 of 10

Potential Health Effects:

Inhalation: No health effects are expected when used under reasonable conditions. May cause respiratory system irritation if inhaled the fumes or mist.

Skin: Long-term or repeated contacted with may cause skin irritation.

Eye: Contacted directly may cause irritation.

Ingestion: Ingestion of this product is unlikely. Ingestion of this product may cause digestive tube and gastrointestinal irritation irritation.

Section 12 - Ecological Information

Ecological Toxicity: No data available.

Persistence and degradability. No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available. PBT assessment: No data available.

Water hazard class (WGK): No data available.

Other Information: No data available.

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Disposal should be in accordance with applicable regional, national and local laws and regulations.

The generation of waste should be avoided or minimized wherever possible. Contaminated packaging material should be treated equivalent to residual chemical. Clean packaging material should be subjected to waste management schemes (recovery recycling, reuse) according to local legislation. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Refer to Section 7-Handling and Storage and Section 8-Exposure Controls/Personal Protection for additional handling information and protection of employees.



Report ID: H04032044316D Page 9 of 10

Section 14 - Transport Information

Not regulated as a hazardous material for transportation. (IATA DGR 54th edition; IMDG 2010 edition; TDG Rev.17 edition)

UN: N/A

UN Classification: N/A

UN proper Shipping Name: N/A

Packaging Sign: N/A
Packaging group: N/A

Marine Pollutant (Y/N): None

Transport in bulk according to MARPOL73/78 Annex II and the IBC Code:

N/A

Transport Fashion: By air, by sea, by railway and by road.

Packaging information: N/A.

Shipping Notice: Packaging is intact and transport is secure. Avoid the physical damage of the packaging. Away from heat or open flame.

Section 15 - Regulatory Information

Regulatory Information: Reference to the local, national, US, EU, CA and international regulations.

CAS No.	TSCA	IECSC	DSL/NDSL	FINECS/ ELINCS/ NLP
192003-74-0	Unlisted	Listed	Listed in NDSL	Unlisted
7732-18-5	Listed	Listed	Listed in DSL	Listed

Section 16 - Additional Information

Issue Time: 2018-4-12

Issue Department: Technical department



Page 10 of 10

Data review unit:

Modification record: Use company mailbox instead of a private mailbox Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Other Information:

ACGIH: (American Conference of Governmental Industrial Hygienists) (Bioconcentration Factor); BOD: (Biochemical oxygen demand); CAS: (Chemical Abstracts Service); DSL: (the Domestic Substances List of Canada); EC: (European Commission); EC50: (Median effective concentration); ENCS (MITI No.): (Existing and New Chemical Substances of Japan); IARC: (International Agency for Research on Cancer); IATA: (International Air Transport Association); IECSC: (Inventory of Existing Chemical Substances in China); IMDG: (International Maritime Dangerous Goods); LC50: (Lethal concentration, 50 percent kill); LD50: (Lethal dose, 50 percent kill); NDSL: (the Non-domestic Substances List of Canada); NIOSH: (US National Institute for Occupational Safety and Health); NOEC: (No observed effect concentration); NTP: (US National Toxicology Program); OSHA: (US Occupational Safety and Health); PC-STEL: (Permissible concentration-time weighted average); PC-TWA: (Permissible concentration-short time exposure limit); PEL: (Permissible Exposure Level); REL: (Recommended Exposure Limit); RTECS: (Registry of Toxic Effects of Chemical Substances); STEL: (Short Term Exposure Limit); TDG: Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations); TLV: (Threshold Limit Value); TOD: (Total Organic Carbon); TSCA:

(Toxic Substances Control Act of USA); TWA: (Time Weighted Average);