

Test Report

Report No.: FLSZF000154190002ER1

Page 1 of 3

Customer: ASIA PACIFIC INDUSTRY GROUP CO., LIMITED

Address: No.3399 Luzhou Ave., Baohe Dist., 230051, Hefei, Anhui, China

Report on the submitted sample(s) said to be:

Sample Name : Products of polypropylene(PP)
Material : PP
Lot No. : 2121545
Model No. : HT047AP
Sample Received Date : Jan.21,2018
Sample Tested Date : Jan.21,2018~ Jan.25,2018

Test Requested: As specified by client, in accordance with the U.S. Food and Drug Administration's requirement for olefin polymers.

Test Method: As specified in FDA 21 CFR 177.1520.

Test Component(s): Red plastic

Test Result(s): Please refer to the following page(s).

Test Conclusion: The test item(s) of the submitted sample(s) comply with the specifications for polypropylene requirements stated in FDA 21 CFR 177.1520.

Tested by

SKY

Reviewed by

Betty Peng

Approved by

Tomy

Date



Tony
Approved Signatory

Test Report

Report No.: FLSZF000154190002ER1

Page 2 of 3

Test Result(s):

Test Item(s)	Test Result	MDL	Limit	Unit
Density	0.939	/	0.85-1.00	g/cm ³
Maximum extractable fraction in n-hexane	0.8	0.5	≤5.5	%
Maximum soluble fraction in xylene	5.7	1.0	≤30	%

Note(s): 1. MDL = Method Detection Limit
2. ≤ = no more than
3. g/cm³ = milligram per cubic centimeter
4. % = percentage by weight

Note(s): This report is amended base on the test report No. FLSZF000154190002E, and report No. FLSZF000154190002E is substituted by this report



Test Report

Report No.: FLSZF000154190002ER1

Page 3 of 3

Photo(s) of the sample(s)



*** End of report ***

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.

