

Copy Paper jumbo roll or reams loading details

Copy paper (GSM)	Loading details	
70	21tons/1*20'GP, 26.5tons/1*40'HQ	
75	21tons/1*20'GP, 26.5tons/1*40'HQ	
80	21tons/1*20'GP, 26.5tons/1*40'HQ	

COPY PAPER

We have four production lines, which are 5# machine 6# machine 7# machine ,8#machine . And 8# machine is our best production line , this machine stablely manufacture the copy paper products for some

larger dealers for the yearly long-term contract .

Out month output are around 8000 Tons/Month :

Production Lines (Machine NO.)	Output (Tons/Year)
8# Machine	4000 Tons
7# Machine	2000 Tons
6# Machine	1000 Tons
5# Machine	1000 Tons
Total Amount	8000 Tons

In China , we are one of the fewer factories who can offer only copy paper products per month which upto this quantity .

We also import part of the raw mateiral(wooden pulp) from overseas like Russia and other area .

Additionally ,we are also one of the fewer factories who can offer only copy paper products in quality actual 100% wooden pulp best in China .

Introduction Of Copy Paper

The Brand of our Copy Paper are "Phoenix" ,"Orient", "China Tiger" and so forth . The price bases on its quality , There are 3 prices of Copy Paper depending on its brightness in quality or material ,

Item:	1	Item: 2		Item: 3	
Mixed Wo (Non-woo		100% Wooden Pulp (Actual woodenfree)			
Brightness	94%-96%	Brightness	98%-100%	Brightness	104%-106%
Quality Grade	Α	Quality Grade	A+	Quality Grade	A++



ASIA PACIFIC INDUSTRY GROUP CO., LIMITED

Linder the mixed wooden nulp : It is only single quality according the brightness

Under the mixed wooden pulp : It is only single quality according the brightness ---94%-96% ;

Under the 100 % wooden pulp : They are two qualities according the brightness ; 1.98%-100% brightness (super quality ,and super brightness),

2.104%-106% brightness (high super quality ,and high super brightness).

The Spec. Are :

GSM	1. 70 GSM ,	
(Gram Weight/Square	2. 75 GSM,	
Meter)	3. 80 GSM .	
Size (Ordinary Size)	1. 8.5'*11'(216mm*279mm),	
	2. A4 (210mm*297mm),	
	3. 8.5'*13'(216mm*330mm),	
	4. Other size : In jumbo roll or in other sheet size like 8.5'*16'and so forth .	

Paper Weight DATA For Customer Reference :

GSM	Size(MM)	(Reams/Ton)	KG/Ream	Packaging Method
70GSM	216mm*279mm (8.5'*11')	474	2.1092	
70GSM	216mm*330mm (8.5'*13')	400	2.4948	
70GSM	210mm*297mm (A4)	458	2.1830	500
80GSM	216mm*279mm (8.5'*11')	414	2.4106	pieces/ream , 5
80GSM	216mm*330mm (8.5'*13')	350	2.8512	reams/carton , 8000
80GSM	210mm*297mm (A4)	400	2.4948	reams/20GP.
75GSM	216mm*279mm (8.5'*11')	444	2.2599	
75GSM	216mm*330mm (8.5'*13')	375	2.6730	
75GSM	210mm*297mm (A4)	430	2.3389	



ASIA PACIFIC INDUSTRY GROUP CO., LIMITED

Note : 1. (Reams/Ton)--- per ton jumbo roll paper can be slitted out 400 reams of 80 GSM ,A4 size paper .

2. A3 size is twice of A4 size .

Paper Package Size DATA For Customer Reference :

A4 Size	210mm*297mm
A3 Size	420mm*297mm
Box(Carton) Size	310mm*220mm*240mm
Pallet Size(Wooden or Plastic)	1120mm*960mm*130mm

Loading Details Of The Container (20GP ,40GP,40HQ) :

1. Without pallets packaging details (usually use 20GP) :

Such as A4 Size :

A4 Size	Reams/20GP	Kg/20GP
70 GSM	8400	Net weight : Around
75 GSM	8200	18,500KG Gross weight :Around
	7800	19,500KG
80 GSM		Note: Per 20GP only allows to load 18,000KG +/-2,000KG.

2. With pallets packaging details (usually use $40\mbox{GP}$) :

Such as 70 GSM :

1.) 8.5'*11'

Per 40GP can load 11,840 reams , and use 45 pallets .

pallet size is 885*1140*17MM

per pallets loading : 15reams *4(layer)=60 reams for belowing

per pallets loading : 15reams *3(layer)=45reams for upper

and total pallets for per 40GP is 22(belowing layer) +22(upper layer)=44 pallets .

as for the loading of the 40GP , 22 pallets in belowing and 22 pallats in upper . And belowing is 4 layers, and upper is 3 layers.

By the way , for the excess weight limited by the vessel shipping co., per 40GP only allow to load about 26 tons .

2.) 8.5'*13'

Per 40GP can load 11,520 reams , and use 45 pallets . pallet size is 1030*1140*17MM per pallets loading : 15reams *4(layer)=60 reams for belowing per pallets loading : 15reams *3(layer)=45reams for upper and total pallets for per 40GP is 22(belowing layer) +21(upper layer)=43pallets .



ASIA PACIFIC INDUSTRY GROUP CO., LIMITED

as for the loading of the 40GP , 22 pallets in belowing and 21 pallats in upper .And belowing is 4 layers, and upper is 3 layers.

By the way , for the excess weight limited by the vessel shipping co. , per 40GP only allow to load about 26 tons .

3.) A4

Per 40GP can load 11,840 reams , and use 45 pallets . pallet size is 885*1140*17MM per pallets loading : 15reams *4(layer)=60 reams for belowing per pallets loading : 15reams *3(layer)=45reams for upper and total pallets for per 40GP is 23(belowing layer) +22(upper layer)=45pallets . as for the loading of the 40GP , 23 pallets in belowing and 22pallats in upper .And belowing is 4 layers, and upper is 3 layers.

By the way , for the excess weight limited by the vessel shipping co. , per 40GP only allow to load about 26 tons .

Use Customer's Logo :

Using customer's own logo on Ream Wrappers and Carton Wrappers (inner and outer packaging design) ,we could do it for Huge/Medium-Order & Steady-Order Customers .The Logo can be offerred/designed by the customer themselves or can be designed by us .

Tech Data & Test Report Super premium multi-purpose A4 papers no recycling. Basic weight: 70,75,80g/m2, Moisture 3.5%-4.5%, Whiteness: >98% Thickness: 103-110 µm Surface roughness TS ml/min: 75-175 Surface roughness BS ml/min: 100-200 Bending stiffness MD: >110 Mn Bending stiffness CD: >50 Mn Opacity: >94% Brightness: 101-104% CIE whiteness: 148-152 Cobb Test: 27-33 g/m2 27-33 **Key Performance** No jam in photocopy machine No double feed Stay flat after copying Leave no dust in the copy-machine Nice appearance-white and clean Nice touch-smooth and bulky No see through-print both sides Been developed for : Photocopy Machines, Laser Printers, Ink-jet Printers, Fax Machines



ASIA PACIFIC INDUSTRY GROUP CO., LIMITED

Packaging :500 sheets/ream, 5 reams/carton All cartons must be packed on pallets or not Min. order : At least 1*20CP containers required Quantity Required : N x 20GP containers / N x 40GP containers